


# Appendix: Analog Switch Array Measurements

---


MT8806/08/09/12/14/15/16 ANALOG SWITCH ARRAY FAMILY:

## TEST CIRCUITS FOR KEY PARAMETER MEASUREMENTS


- A.1 Off-State Leakage Current ( $I_{OFF}$ ) Measurement
- A.2  $R_{ON}/\Delta R_{ON}$  vs.  $V_{DC}$  Measurements
- A.3 Frequency Response ( $F_{3dB}$ ) Measurement
- A.4 Feedthrough (FDT) Measurement
- A.5 Crosstalk ( $X_{talk}$ ) Measurement
- A.6 Control Input Crosstalk ( $CX_{talk}$ ) Measurement
- A.7 Control Memory Timing Measurements




**Figure A.1 - Off-State Leakage Current ( $I_{OFF}$ ) Measurement\***



**Figure A.2 -  $R_{ON}/ \Delta R_{ON}$  Measurement \***



**Figure A.3 - Frequency Response ( $F_{3dB}$ ) Measurement †**



**Figure A.4 - Feedthrough (FDT) Measurement †**

Notes:

\* Test Conditions for MT8809 and MT8812 are respectively:  $V_{DD}=12V$ ,  $V_{SS}=0V$  and  $V_{DD}=14V$ ,  $V_{SS}=0V$ .

† Test Conditions for MT8809 and MT8812 are respectively:  $V_{DD}=5V$ ,  $V_{SS}=0V$ ,  $V_{EE}=-7V$  and  $V_{DD}=7V$ ,  $V_{DC}=0V$ ,  $V_{SS}=-7V$ .

All  $X_i$  and  $Y_j$  analog I/O pins can be interchanged for all measurements.




Figure A.5 - Crosstalk ( $X_{talk}$ ) Measurement †




Figure A.6 - Control Input Crosstalk to Switch ( $CX_{talk}$ ) †




Figure A.7 - Control Memory Timing Measurements †


Notes:

† Test Conditions for MT8809 and MT8812 are respectively:  $V_{DD}=5V$ ,  $V_{DC}=0V$ ,  $V_{SS}=-7V$  and  $V_{DD}=7V$ ,  $V_{DC}=0V$ ,  $V_{SS}=-7V$ . All  $X_i$  and  $Y_j$  analog I/O pins can be interchanged for all measurements.


### MT8806/08/09/12/14/15/16 ANALOG SWITCH ARRAY FAMILY:

#### TYPICAL GRAPHS FOR SELECTED PARAMETERS


- G.1 On-state Resistance ( $R_{ON}$ ) vs. Temperature @  $V_{DD}=5V, 10V, 12V$
- G.2 On-state Resistance ( $R_{ON}$ ) vs. DC Offset ( $V_{DC}$ ) @  $V_{DD}=5V, 10V, 12V$  @  $25^{\circ}C$
- G.3 On-state Resistance ( $R_{ON}$ ) vs. DC Offset ( $V_{DC}$ ) @  $V_{DD}=12V$  @  $-40^{\circ}C, 25^{\circ}C, 85^{\circ}C$
- G.4  $\Delta R_{ON}$  vs. Temperature @  $V_{DD}=5V, 10V, 12V$
- G.5 Total Harmonic Distortion (THD) vs. Frequency
- G.6 Total Harmonic Distortion (THD) vs. I/P Signal Amplitude ( $V_{peak}$ )
- G.7 Crosstalk ( $X_{talk}$ ) vs. Frequency
- G.8 Feedthrough (FDT) vs. Frequency
- G.9 Off-State Leakage Current ( $I_{OFF}$ ) vs. Switch Voltage




G.1 - On-State Resistance ( $R_{ON}$ ) vs. Temperature




G.2 - On-State Resistance ( $R_{ON}$ ) vs. DC Offset ( $V_{DC}$ ) @  $25^{\circ}C$




G.3 - On-State Resistance ( $R_{ON}$ ) vs. DC Offset ( $V_{DC}$ ) @  $V_{DD} = 12V$




G.4 -  $\Delta R_{ON}$  vs. Temperature




G.5 - Distortion (THD) vs. Frequency




G.6 - Distortion (THD) vs. I/P Signal Amplitude ( $V_p$ )



G.7 - Crosstalk ( $X_{talk}$ ) vs. Frequency



G.8 - Feedthrough (FDT) vs. Frequency



G.9 - Off-State Leakage Current ( $I_{OFF}$ ) vs. Switch Voltage

MT8806/08/09/12/14/15/16 ANALOG SWITCH ARRAY FAMILY:

Analog Switch Array Applications

The analog switch array is shown in Figure A.8 as a switching matrix for a typical key system. The system shown below allows connection of outside Central Office telephone lines to inside extension telephones.




Figure A.8 - Typical Key System Application





**For more information about all Zarlink products  
visit our Web Site at  
[www.zarlink.com](http://www.zarlink.com)**

Information relating to products and services furnished herein by Zarlink Semiconductor Inc. trading as Zarlink Semiconductor or its subsidiaries (collectively "Zarlink") is believed to be reliable. However, Zarlink assumes no liability for errors that may appear in this publication, or for liability otherwise arising from the application or use of any such information, product or service or for any infringement of patents or other intellectual property rights owned by third parties which may result from such application or use. Neither the supply of such information or purchase of product or service conveys any license, either express or implied, under patents or other intellectual property rights owned by Zarlink or licensed from third parties by Zarlink, whatsoever. Purchasers of products are also hereby notified that the use of product in certain ways or in combination with Zarlink, or non-Zarlink furnished goods or services may infringe patents or other intellectual property rights owned by Zarlink.

This publication is issued to provide information only and (unless agreed by Zarlink in writing) may not be used, applied or reproduced for any purpose nor form part of any order or contract nor to be regarded as a representation relating to the products or services concerned. The products, their specifications, services and other information appearing in this publication are subject to change by Zarlink without notice. No warranty or guarantee express or implied is made regarding the capability, performance or suitability of any product or service. Information concerning possible methods of use is provided as a guide only and does not constitute any guarantee that such methods of use will be satisfactory in a specific piece of equipment. It is the user's responsibility to fully determine the performance and suitability of any equipment using such information and to ensure that any publication or data used is up to date and has not been superseded. Manufacturing does not necessarily include testing of all functions or parameters. These products are not suitable for use in any medical products whose failure to perform may result in significant injury or death to the user. All products and materials are sold and services provided subject to Zarlink's conditions of sale which are available on request.

Purchase of Zarlink's I<sup>2</sup>C components conveys a licence under the Philips I<sup>2</sup>C Patent rights to use these components in an I<sup>2</sup>C System, provided that the system conforms to the I<sup>2</sup>C Standard Specification as defined by Philips.

Zarlink and the Zarlink Semiconductor logo are trademarks of Zarlink Semiconductor Inc.

Copyright 2001, Zarlink Semiconductor Inc. All Rights Reserved.

TECHNICAL DOCUMENTATION - NOT FOR RESALE

---



**For more information about all Zarlink products  
visit our Web Site at  
[www.zarlink.com](http://www.zarlink.com)**

Information relating to products and services furnished herein by Zarlink Semiconductor Inc. or its subsidiaries (collectively "Zarlink") is believed to be reliable. However, Zarlink assumes no liability for errors that may appear in this publication, or for liability otherwise arising from the application or use of any such information, product or service or for any infringement of patents or other intellectual property rights owned by third parties which may result from such application or use. Neither the supply of such information or purchase of product or service conveys any license, either express or implied, under patents or other intellectual property rights owned by Zarlink or licensed from third parties by Zarlink, whatsoever. Purchasers of products are also hereby notified that the use of product in certain ways or in combination with Zarlink, or non-Zarlink furnished goods or services may infringe patents or other intellectual property rights owned by Zarlink.

This publication is issued to provide information only and (unless agreed by Zarlink in writing) may not be used, applied or reproduced for any purpose nor form part of any order or contract nor to be regarded as a representation relating to the products or services concerned. The products, their specifications, services and other information appearing in this publication are subject to change by Zarlink without notice. No warranty or guarantee express or implied is made regarding the capability, performance or suitability of any product or service. Information concerning possible methods of use is provided as a guide only and does not constitute any guarantee that such methods of use will be satisfactory in a specific piece of equipment. It is the user's responsibility to fully determine the performance and suitability of any equipment using such information and to ensure that any publication or data used is up to date and has not been superseded. Manufacturing does not necessarily include testing of all functions or parameters. These products are not suitable for use in any medical products whose failure to perform may result in significant injury or death to the user. All products and materials are sold and services provided subject to Zarlink's conditions of sale which are available on request.

Purchase of Zarlink's I<sup>2</sup>C components conveys a licence under the Philips I<sup>2</sup>C Patent rights to use these components in and I<sup>2</sup>C System, provided that the system conforms to the I<sup>2</sup>C Standard Specification as defined by Philips.

Zarlink, ZL and the Zarlink Semiconductor logo are trademarks of Zarlink Semiconductor Inc.

Copyright Zarlink Semiconductor Inc. All Rights Reserved.

**TECHNICAL DOCUMENTATION - NOT FOR RESALE**

---