

4

3

2


1

NOTES:

- 1. DIMENSIONS ARE FOR REFERENCE ONLY.
- 2. NOT ALL DETAILS OR ALL CONFIGURATIONS ARE SHOWN.
- 3. METRIC FASTENERS ARE USED ON PRODUCTS.

REVISIONS

| REV | ECO      | DESCRIPTION                    | DATE     | ENGINEER   |
|-----|----------|--------------------------------|----------|------------|
| 02  | PEC01816 | UPDATE BRANDING TO "MICROCHIP" | 7/6/2020 | PAUL SKOOG |



# INTERFACE CONTROL DRAWING

Microchip  
3870 North First Street  
San Jose, CA 95134




THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION OF MICROCHIP AND SHALL NOT BE DISCLOSED TO ANY THIRD PARTY, OR USED FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT WAS SUPPLIED, OR REPRODUCED WITHOUT THE PRIOR WRITTEN CONSENT OF MICROCHIP

DRAWN BY:  
TONY BARTYCZAK

.XX DECIMALS = +/- 0.020  
.XXX DECIMALS = +/- 0.010  
HOLES = +/- 0.005

THIRD ANGLE PROJECTION



SOLIDWORKS DRAWING - DO NOT SCALE  
DIMENSIONING AND TOLERANCING PER ANSI Y14.5M  
UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES

TITLE  
SYNCSERVER S6XX CHASSIS ASSEMBLY

| SIZE | DRAWING NUMBER | REV |
|------|----------------|-----|
| B    | 697-15200-000  | 02  |

SCALE 1:2

SHEET 1 OF 6

4


3

2



1

OVERALL SIZE

4 3 2 1





VENT HOLES ON THIS SIDE ONLY




**CAUTION**  
Hot Surface.  
Do NOT touch.  
Allow to cool before servicing.



MARKINGS ARE RECESSED MOUNTING HOLES, PEM INSERT LOCATIONS, AND FLUSH HEAD SCREWS.  
-----  
THERE ARE NO VENT HOLES ON THE BOTTOM.



FAN INTAKE HOLES ON THIS SIDE ONLY




1.73

19.00


4 3 2 1

|            |                |              |
|------------|----------------|--------------|
| SIZE       | DRAWING NUMBER | REV          |
| B          | 697-15200-000  | 02           |
| SCALE 5:16 |                | SHEET 2 OF 6 |



|            |                |              |
|------------|----------------|--------------|
| SIZE       | DRAWING NUMBER | REV          |
| B          | 697-15200-000  | 02           |
| SCALE 7:16 |                | SHEET 3 OF 6 |

ASSEMBLY DETAILS




SCREW, SEMS,  
M5 X 12 mm LONG  
( GROUNDING )

8X  
SCREW  
M3.5 METRIC  
6 mm LONG  
( 4 ON EACH SIDE )

2X  
MOUNTING BRACKET  
( SEE NEXT SHEET )


|           |                |              |
|-----------|----------------|--------------|
| SIZE      | DRAWING NUMBER | REV          |
| B         | 697-15200-000  | 02           |
| SCALE 5:8 |                | SHEET 4 OF 6 |

MOUNTING BRACKET DETAILS



|           |                |              |
|-----------|----------------|--------------|
| SIZE      | DRAWING NUMBER | REV          |
| B         | 697-15200-000  | 02           |
| SCALE 1:1 |                | SHEET 5 OF 6 |

OVERALL SIZE



**CAUTION**  
 Hot Surface.  
 Do NOT touch.  
 Allow to cool before servicing.

**MICROCHIP** SynoServer 9600/9650  
 Rev X

100/240 VAC @ 50/60 Hz; 50W

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions: 1) This device may not cause harmful interference and 2) This device must accept any interference received, including interference that may cause undesired operation.

complies with  
 UL 62368-1  
 CSA C22.2 No. 62368-1  
 IEC 62368-1  
 EN 62368-1  
 CE

50°C

MADE IN XXX

|           |                |              |
|-----------|----------------|--------------|
| SIZE      | DRAWING NUMBER | REV          |
| B         | 697-15200-000  | 02           |
| SCALE 1:2 |                | SHEET 6 OF 6 |